

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	08JUL2015	DL	CW
	B	ECR-20-008181	29JUL2020	WQR	CW
	B1	ECR-21-103925	07JUN2021	WQR	CW

PG/M

74.5

CE STE

45

(91)

53.1

SCALE 3:5

NOTES:

1. TECHNICAL CHARACTERISTICS:  
 BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
 SURFACE TREATMENT: POWDER-COATED, GRAY  
 DEGREE OF PROTECTION: IP65 (MATED)

注释:

1. 技术参数:  
 主体材料: 铝合金  
 表面处理: 粉末喷涂, 灰色  
 防护等级: IP65 (配合)

(99.6)

44.8

27

57

74.8

4X M3 THREAD  
4X M3 螺纹孔

T1750102116-000	H10B-TBFH-PG16	PG16
T1750102121-000	H10B-TBFH-PG21	PG21
T1750102129-000	H10B-TBFH-PG29	PG29
T1750102132-000	H10B-TBFH-M32	M32
ASSEMBLY PART NUMBER	ASSEMBLY PART DESCRIPTION	PG/M

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	08JUL2015	TE Connectivity NAME H10B-TBFH-PG	
DIMENSIONS: mm		DAVID LI	08JUL2015		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK	CHRIS WANG		
0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-		APVD	XU XIANG		
MATERIAL		PRODUCT SPEC		108-137013	
		APPLICATION SPEC		114-137013	
		WEIGHT		-	
		FINISH		-	
		CUSTOMER DRAWING		SIZE	A3
				CAGE CODE	-
				DRAWING NO	©-T17501021XX000
				RESTRICTED TO	
				SCALE	1:1
				SHEET	1 OF 1
				REV	B1

1470-19 (3/13)